



Literature Survey on Operator Performance using Multiple Displays

*Vincenzo Delle Donne
Valcom Consulting Group Inc.*

*Valcom Consulting Group Inc.
1959 Upper Water Street, Suite 1700
Halifax, Nova Scotia
B3J 3N2*

Project Manager: Jack Sparrow, 902-491-4497

Contract Number: W7707-05-2970

Contract Scientific Authority: Dr. Jacquelyn Crebolder, 902-426-3100 ext 296

Defence R&D Canada – Atlantic

Contract Report
DRDC Atlantic CR 2005-209
March 2006

This page intentionally left blank.

Literature Survey on Operator Performance using Multiple Displays

Vincenzo Delle Donne
Valcom Consulting Group Inc.

Valcom Consulting Group Inc.
1959 Upper Water Street, Suite 1700
Halifax, Nova Scotia, B3J 3N2

Project Manager: Jack Sparrow, 902-491-4497

Contract Number: W7707-05-2970

Contract Scientific Authority: Dr. Jacquelyn Crebolder, 902-426-3100 ext 296

Defence R&D Canada – Atlantic

Contract Report


DRDC Atlantic CR 2005-209

March 2006

Author

Vincenzo Delle Donne, P.Eng, CCPE, PMP


Approved by



J. M. Crebolder

Contract Scientific Authority

Approved for release by



Kirk Foster

DRP Chair

The information contained herein is propriety of Her Majesty and is provided to the recipient on the understanding that it will be used for information and evaluation purposes only. Any commercial use including use for manufacturing is prohibited. Release to third parties of this publication or information contained herein is prohibited without the prior written consent of Defence R&D Canada.

© Her Majesty the Queen as represented by the Minister of National Defence, 2005

© Sa majesté la reine, représentée par le ministre de la Défense nationale, 2005

Abstract

A survey has been completed to investigate literature in the area of operator performance using multiple displays, in order to support a variety of projects in the Maritime Command, Control, Communications, Computer and Intelligence (C4I) environment at Defence Research and Development Canada (DRDC) – Atlantic. Using a defined set of keywords and literature sources, various documents, reports, papers and articles were found, of which 100 were assessed according to a set of criteria that identified those that were more useful for adaptation to the present project's goals and objectives. Of the literature identified in the survey, 7 were reviewed in detail and summarized.

Résumé

Une étude des documents portant sur le rendement des opérateurs qui travaillent avec des affichages multiples a été menée dans le but d'appuyer une variété de projets de commandement, de contrôle, de communications, d'informatique et de renseignement (C3IR) dans le milieu maritime à Recherche et développement pour la défense Canada - Atlantique (RDDC). À l'aide d'un ensemble défini de mots clés et de sources documentaires, nous avons trouvé divers documents, rapports, journaux et articles. Nous avons évalué 100 de ces documents en fonction d'un ensemble de critères qui ont permis de cerner ceux qui s'adapteraient le mieux aux objectifs et aux buts du projet en cours. À partir des documents retenus, nous en avons examiné 7 en détail et les avons résumés.

This page intentionally left blank.

Executive summary

Literature survey of operator performance using multiple displays

Delle Donne, V.; DRDC Atlantic CR 2005-209; Defence R&D Canada – Atlantic, March 2006.

Introduction or background

This document is the final report of a project to investigate literature in the area of operator performance using multiple displays, in order to support a variety of projects in the Maritime Command, Control, Communications, Computer and Intelligence (C4I) environment. The report has been prepared by Valcom Consulting Group Inc. for the Defence Research and Development Canada (DRDC) – Atlantic under Public Works and Government Services Canada (PWGSC) Contract No. W7707-05-2970.

Results

Using a defined set of keywords and literature sources, various documents, reports, papers and articles were found, of which 100 were assessed according to a set of criteria that identified those that were more useful for adaptation to the present project's goals and objectives. Of the literature identified in the survey, 7 were reviewed in detail and summarized.

The type of literature identified indicated that there is more relevant literature in the military than the maritime domain. There is also a substantial base of literature from basic research, which is directed mostly at visual displays. This literature base, however, does not have much depth. Much of the literature is at the experimental phase of development. This reflects the lack of maturity of the domain, in that fewer new ideas have been generated than have been tested.

In cases where actual evaluations of multiple display technologies have been conducted there are a number of concerns with the quality of research, particularly as a result of unrepresentative subject groups and tasks, inappropriate measures, and poor interface design of displays.

Military significance

A serious challenge for operational C4I systems is how operators deal with extensive amounts of information and, accordingly, the complexity of operator-machine interface displays. It is anticipated that the C4I system operator of the future will perform multiple tasks and monitor and attend to several displays concurrently. Understanding the issues related to human

performance using multiple displays is key to providing appropriate and effective tools and systems to best support tasks of the user in the military environment.

Future plans

To address weaknesses in the literature and develop guidance for future operator performance using multiple displays in the maritime environment, it is recommended that a research and development program be conducted, as follows:

1. Extend the literature review on operator performance using multiple displays;
2. Conduct maritime multiple display experiments; and
3. Coordinate and consolidate multiple display research.

Sommaire

Étude documentaire sur le rendement des opérateurs travaillant avec des affichages multiples

Delle Donne, V.; DRDC Atlantic CR 2005-209; R & D pour la défense Canada – Atlantique; March 2006.

Introduction ou contexte

Le présent document constitue le rapport final du projet visant à examiner les documents portant sur le rendement des opérateurs qui travaillent avec des affichages multiples dans le but d'appuyer une variété de projets de commandement, de contrôle, de communications, d'informatique et de renseignement (C3IR) dans le milieu maritime. Le rapport a été préparé par Valcom Consulting Group Inc. pour Recherche et développement pour la défense Canada – Atlantique (RDDC) dans le cadre du contrat n° W7707-05-2970 avec Travaux publics et Services gouvernementaux Canada (TPSGC).

Résultats

À l'aide d'un ensemble défini de mots clés et de sources documentaires, nous avons trouvé divers documents, rapports, journaux et articles. Nous avons évalué 100 de ces documents en fonction d'un ensemble de critères qui ont permis de cerner ceux qui s'adaptent le mieux aux objectifs et aux buts du projet en cours. À partir des documents retenus, nous en avons examiné 7 en détail et les avons résumés.

De plus, le type de documents recensés a indiqué qu'il y a davantage de documents pertinents dans le domaine militaire que dans le domaine maritime. Il existe aussi un nombre important de documents créés à partir de recherches fondamentales, et dont le sujet porte généralement sur les affichages multiples; toutefois, ce sujet n'y est pas vraiment traité en profondeur. La majorité de ces documents traitent de points à l'étape expérimentale de leur développement, ce qui illustre le manque de maturité du domaine (c.-à-d. que le nombre de nouvelles idées générées est inférieur au nombre de nouvelles idées testées).

Dans les cas où de réelles évaluations de la technologie des affichages multiples ont été effectuées, la qualité de la recherche suscite bon nombre d'inquiétudes en raison, plus particulièrement, des groupes et des tâches peu représentatifs, des mesures inappropriées ainsi que de la conception déficiente de l'interface des affichages.

Importance militaire

La manière dont les opérateurs traitent les énormes quantités d'informations et, par conséquent, la complexité des affichages de l'interface opérateur-machine représente un grave défi pour les systèmes C4I. Il est prévu que l'opérateur des systèmes C4I de l'avenir assumera des tâches multiples et surveillera et s'occupera de plusieurs affichages en même temps. Il est essentiel de comprendre les problèmes liés à la performance humaine où il est question de multiples affichages si on veut offrir des outils et des systèmes appropriés et efficaces pour mieux soutenir les tâches de l'utilisateur dans l'environnement militaire.

Perspectives

Afin de s'attaquer aux lacunes entourant les documents et de développer une directive pour le rendement des futurs opérateurs travaillant avec des affichages multiples dans le milieu maritime, nous recommandons qu'un programme de recherche et de développement soit mis en place en fonction des paramètres suivants :

1. Élargir l'examen des documents sur le rendement des opérateurs qui travaillent avec des affichages multiples.
2. Effectuer des expériences connexes aux affichages multiples dans le domaine maritime.
3. Coordonner et regrouper les recherches sur les affichages multiples.

Table of Contents

Abstract.....	i
Executive summary	iii
Sommaire.....	v
Table of Contents	vii
List of Figures.....	ix
1. Introduction	1
1.1 Background	1
1.2 Purpose	1
1.3 Scope	2
1.4 Deliverables.....	2
2. Methodology.....	3
2.1 Literature Survey and Preliminary Review	3
2.1.1 Strategy.....	3
2.1.2 Definitions	3
2.1.3 Keywords.....	5
2.1.4 Databases.....	6
2.2 Literature Categorization and Ranking System.....	8
2.3 Detailed Literature Review.....	10
3. Summary of Findings and Discussion.....	11
3.1 Literature Categorization Results	12
3.2 Literature Ranking Results	13
3.3 Literature Reviewed in Detail	14
4. Conclusions and Recommendations	17
5. References	18
Annex A – Literature Categorization Matrix.....	19

Annex B – Literature Ranking..... 21

Bibliography 24

List of Symbols / Abbreviations / Acronyms / Initialisms 37

List of Figures

Figure 1. Schematic Representation of an Operator-machine System	4
Figure 2. Literature by Domain	12
Figure 3. Literature by Type.....	13

List of Tables

Table 1. Literature Categorization Matrix	8
Table 2. Criteria for the Critical Analysis – Initial Assessment	9
Table 3. Literature Ranking	10
Table 4. Literature Categorization Results	11
Table 4. Literature Ranking Results	14

This page intentionally left blank.

1. Introduction

This document is the final report of a project to investigate literature in the area of operator performance using multiple displays, in order to support a variety of projects in the Maritime Command, Control, Communications, Computer and Intelligence (C4I) environment. The report has been prepared by Valcom Consulting Group Inc. for Defence Research and Development Canada (DRDC) – Atlantic under Public Works and Government Services Canada (PWGSC) Contract No. W7707-05-2970.

1.1 Background

A serious challenge for operational C4I systems is how operators deal with extensive amounts of information available to them and, accordingly, the complexity of operator-machine interface displays. As technology produces more advanced sensors, and the ability to extract and distribute data becomes more efficient and achievable, the quantity of information delivered to an operator will continue to increase. It is anticipated that the C4I systems operator of the future will perform multiple tasks and monitor and attend to several displays concurrently using systems that draw on visual, auditory, and haptic modalities.

Spatially distributing information across several displays extends the area to which the operator must attend. Research in human attention suggests that performance can suffer when attention must be deployed and maintained over a wide field of view. With future C4I systems in mind, interface design must provide easily accessible decision support to operators performing multiple tasks and monitoring and attending to multiple information sources.

A research program to investigate human performance using multiple displays in the context of Maritime C4I is being developed at DRDC Atlantic. The program will explore theoretical issues surrounding attentional limitations and operator workload using multiple displays in support of emerging and existing Maritime projects.

To support a variety of projects in the Maritime C4I environment DRDC Atlantic has requested an in-depth overview of research that has been conducted in the area of human performance using multiple displays.

1.2 Purpose

The overall intentions of the literature survey were to:

4. Review the open literature and collect knowledge from other practitioners in the area of human performance using multiple displays, including but not limited to attentional limitations, sustained attention, and workload; and
5. Obtain an appreciation of performance issues and areas for future research with respect to operator-machine interfaces in the Maritime C4I environment.

1.3 Scope

The scope of this project was established through the Statement of Work developed by the Scientific Authority, combined with limits placed on the literature that could be reviewed within the project budget.

The project was requested to be completed in the following steps:

A thorough search of the literature dealing with operator performance using multiple displays;

A critical analysis of the literature results and methodologies, assessing its strengths and limitations of existing research, and describing the data collection, analysis, and reporting techniques;

A determination of the current knowledge and problems of human performance when using multiple displays;

Identification of current strategies used by operators in various industries, as well as military; and

The formulation of conclusions and recommendations consistent with the goals of the survey.

In order to remain within the project budget it was determined that up to approximately 150 documents, reports, papers and/or articles would be entered into the project database, while approximately 7 would be reviewed in detail.

1.4 Deliverables

The deliverables required from this literature survey project included:

Annotated biography summarizing the breath and depth of the literature; and

Draft and final reports to further summarize and assess the relevance of the literature findings, and determine the future research and development activities that may be required.

2. Methodology

The literature survey was conducted through the methodology outlined in the following subsections.

2.1 Literature Survey and Preliminary Review

The project Statement of Work called for a survey to assess the breadth and depth of the immediately available literature related to human performance using multiple displays. This was to be followed with an assessment of the relevance of the literature to the use and design of Maritime C4I systems and provide recommendations for future research.

Activities included literature search and preliminary review in order to classify the type of literature and the level of research.

2.1.1 Strategy

The project began with the development of the literature search strategy, by defining multiple displays for the purpose of the project, defining operator performance impacts of multiple displays, identifying the key search terms required, and identifying the sources of literature that should be searched.

An iterative search strategy was used, such that literature sources would be searched in multiple passes, identify the most relevant literature on the first pass, and then return to obtain another level of literature. These iterations allowed the incremental identification of literature, prioritized by project objectives while at the same time remaining within the project scope.

2.1.2 Definitions

An operator-machine system can be considered as a combination of one or more operators and one or more physical components interacting to bring about from given inputs some desired out. The machine can consist of virtually any type of physical object, device, equipment, facility, thing, or what have you that operators use in carrying out some activity that is directed toward achieving some desired purpose or in performing some function. The essential nature of an operator's involvement in a system is an active one, interacting with the system to fulfill the function for which the system is designed. The typical type of interaction between an operator and a machine is illustrated in **Figure 1** (*Schematic Representation of an Operator-machine System*).




Figure 1. Schematic Representation of an Operator-machine System

This illustration shows how the displays of a machine serve as stimuli for an operator, trigger some type of information processing on the part of the operator (including decision making), which in turn results in some action that controls the operation of the machine.

In the present context, the term display refers to the presentation of information to any of the human senses, not necessarily just to the eyes. The purpose of the display in a system is to give information to the operator about the functional condition of the system or the process. The information can be categorized as follows: need to know, nice to know and historical.

Information is sometimes displayed in a confusing way, with less critical data obscuring the presence of information on which action must be taken. Because the purpose of a display is to notify the operator of a situation, two prime concerns are to make the signal easily detectable and to have it indicate clearly any required actions. There are several modes by which information from displays is conveyed to an operator: visual, auditory, and haptic (tactile).

Visual presentation is preferred for complex messages in noisy environments where response time is not critical. Auditory presentation is preferred for simple messages in areas where people move around frequently and where response time must be rapid. Usually auditory displays supplement visual presentation by drawing the operator's attention to the visual display that provides detail of the system. Auditory displays are particularly well suited to represent infrequently occurring information where it is necessary to gain the operator's attention. Haptic (tactile) modes are being employed

more often as people are bombarded with more information, especially when there is high ambient noise or vision is obscured.

Displays of a system can either facilitate interaction or increase task difficulty and the probability of error. The German *Gestalt* psychologists in the first half of the twentieth century described how the way stimuli are structured determines how they are perceived. The structure of a display is of superior importance to any particular element within it. Hence the *Gestalt* dictum “the whole is greater than the sum of its parts”. Conscious perceptions result not just from an analysis of objects in the field of view (FOV) but from a synthesis of the objects themselves and the relation between them.

Finally, human performance measures are usually frequency measures (such as number of targets detected), latency measures (such as reaction time or delay in switching from one activity to another), duration measures (such as time on target in a tracking task) or reliability measures (such as probability of errorless performance). Sometimes combinations of these basic types are used, such as number of missed targets per unit time.

2.1.3 Keywords

As a result of the project planning activities and consultation with the scientific community, the following list of primary keywords were used in combination (i.e., multiple AND display) in the literature search:

Performance;

Operator performance;

Human performance;

Display; and

Multiple displays.

These keywords focused on the concept of multiple displays and some of the key human behaviour (such as human limitations and workload) that would underlie performance impacts of multiple display use.

Other keywords were used for basic research issues that likely relate to multiple display requirements, such as:

Visual display;

Auditory display;

Haptic (tactile) display;

Human-machine interface;
Human-computer Interaction;
Operator-machine interface;
Visual Search;
Perception;
Attention;
Vigilance;
Workload;
Change blindness;
Attentional blink;
Attentional limitations;
Sustained Attention;
Attentional spotlight; and
Field of view (FOV).

2.1.4 Databases

The literature search was conducted using various primary sources.

Firstly, literature was obtained by searching scientific literature databases (including PsycINFO, PsycARTICLES, and Compendex to name a few) accessed through the Champlain library at Université de Moncton in New Brunswick.

Then a considerable amount of literature search was conducted on-line, using Copernic desktop search engine. Within the scientific literature, a number of websites and databases were searched including:

Association of Canadian Ergonomists (ACE) (<http://www.ace-ergocanada.ca>)

Association of Computing Machinery (ACM) (<http://www.acm.org>)

Association of Computing Machinery (ACM) Portal Digital Library
(<http://portal.acm.org>)

Atomic Energy of Canada Limited (AECL) (<http://www.aecl.ca>)

Australian Department of Defence, Defence Science and Technology Organization (DSTO) (<http://www.dsto.defence.gov.au>)

Cognitive Task Analysis (CTA) Resource (<http://www.ctaresource.com>)

Department of National Defence (DND), Defence Research and Development Canada (DRDC) (<http://pubs.drdc-rddc.dnd.ca>)

Edinburgh Engineering Virtual Library (EEVL) (<http://www.eevl.ac.uk>)

Electronic Power Research Institute (EPRI) (<http://www.epri.com>)

Engineering Information (<http://www.ei.org>)

Human-Computer Interaction (HCI) Bibliography (<http://www.hcibib.org>)

Human Factors and Ergonomics Society (HFES) (<http://www.hfes.org>)

IngentaConnect (<http://www.ingentaconnect.com>)

Lawrence Erlbaum Associates (LEA) Online (<http://www.leaonline.com>)

MetaPress (<http://www.metapress.com>)

National Aeronautics and Space Administration (NASA), Johnson Space Center, Man-Systems Integration Standards (MSIS) (<http://msis.jsc.nasa.gov>)

National Research Council Canada (NRC), Canada Institute for Scientific and Technical Information (CISTI) (<http://cisti-icist.nrc-cnrc.gc.ca>)

Pacific Science & Engineering Group (<http://www.pacific-science.com>)

QinetiQ (<http://www.qinetiq.com>)

U.S. Nuclear Regulatory Commission (NRC) (<http://www.nrc.gov>)

U.S. Department of Defense (DoD), Defense Technical Information Center (DTIC), Directory of Design Support Methods (DDSM) – MATRIS (<http://www.dtic.mil/matrix/ddsm/>)

U.S. Department of Defense (DoD), Defense Technical Information Center (DTIC), Human Factors Engineering Technical Advisory Group – Standardization (<http://hfetag.dtic.mil>)

U.S. Department of Defense (DoD), Defense Technical Information Center (DTIC), Information Analysis Centers (IAC), Human Systems Information Analysis Center (HSIAC) (<http://iac.dtic.mil/hsiac/>)

U.S. Department of Defense (DoD), Space and Naval Warfare Systems Command (SPAWAR) (<http://enterprise.spawar.navy.mil>)

U.S. Department of Transportation (DoT), Research and Special Programs Administration (RSPA), John. A. Volpe National Transportation Systems Center, Operator Performance and Safety Division (OPSAD) (<http://www.volpe.dot.gov/opsad/>)

2.2 Literature Categorization and Ranking System

Once relevant titles were obtained they were further reviewed and categorized using a matrix illustrated in **Table 1** (*Literature Categorization Matrix*) below.

Table 1. Literature Categorization Matrix

		LITERATURE TYPE			
		CONCEPT	LAB	FIELD	REVIEW
DOMAIN RELEVANCE	MARITIME				
	MILITARY				
	INDUSTRY				
	BASIC				

The four categories of *Domain Relevance*, from lowest to highest on the vertical axis, included:

1. Basic Research;
2. Industry Applications;
3. Military Applications; and
4. Maritime Applications.

The four categories of *Literature Type*, from lowest to highest on the horizontal axis, included:

1. Conceptual;
2. Laboratory Experiment;

3. Field Evaluation; and
4. Literature Review.

Once relevant titles were categorized they were further reviewed and assessed using criteria given in **Table 2** (*Criteria for the Critical Analysis – Initial Assessment*) below.

Table 2. Criteria for the Critical Analysis – Initial Assessment

REFERENCE: _____ CATEGORY: _____

CRITICAL ANALYSIS CRITERIA	SCALE STRUCTURE
1. Topic's relationship to the main topic of interest to the project (see Section 1.2 above).	1. Indirectly related 2. Directly related 3. Exact match
2. Level of detail provided regarding the methodology and the data collection techniques.	1. Less than adequate 2. Adequate 3. More than adequate
3. Adequacy of research design to answer research questions.	1. Less than adequate 2. Adequate 3. More than adequate
4. Adequacy of the chosen methodology to obtain reliable data.	1. Less than adequate 2. Adequate 3. More than adequate
5. Relevance of the methodology to Maritime C4I environments (validity).	1. Indirectly related 2. Directly related 3. Exact match
6. Reliability of the results based on sample size, data collection techniques, objectivity of data, etc.	1. Low 2. Medium 3. High
7. Level of contribution to the body of knowledge on operator performance using multiple displays.	1. Low 2. Medium 3. High

This table was created to meet one of the project goals, which was to provide an indication of the quality of the literature. Each literature was assessed for each criterion, and the totals for each literature were tallied and entered into a summary table, and assigned a ranking as shown in **Table 3** (*Literature Ranking*) below.

Table 3. Literature Ranking

LITERATURE	CRITICAL ANALYSIS CRITERIA							TOTAL
	1	2	3	4	5	6	7	
Literature 1								
Literature 2								
Literature 3								
.								
.								
.								

The literature was then arranged by rank within each category, and the highest-ranking literature was profiled and considered for a detailed review.

2.3 Detailed Literature Review

Once the literature was organized into its respective category of type, 7 of the 100 documents, reports, papers and/or articles were selected for a more detailed review. This selection was based on a review of the abstracts of the literature listed in the *Bibliography*.

Once the detailed literature review was completed, an assessment of the breadth, depth and quality of the literature was developed, along with recommendations for areas of further research in the future. These final assessments were integrated into this final report.

3. Summary of Findings and Discussion

Using the keywords and literature sources outlined in Section 2.1 a total of 152 documents, reports, papers and/or articles, of which 100 of the most relevant literature have been chosen and categorized using a category matrix, to produce the literature distribution illustrated in **Table 4** (*Literature Categorization Results*) below.

Table 4. Literature Categorization Results

		LITERATURE TYPE			
		CONCEPT	LAB	FIELD	REVIEW
DOMAIN RELEVANCE	MARITIME	2	8	1	2
	MILITARY	4	8	2	12
	INDUSTRY	2	11	1	4
	BASIC	9	24	1	9

Note that the numbers in each cell indicate the number of documents in the project assigned to that domain relevance and literature type.

3.1 Literature Categorization Results

The relevant literature was categorized in terms of domain as shown in **Figure 2** (*Literature by Domain*) below.




Figure 2. Literature by Domain

The above figure clearly demonstrates that there is a substantial base of literature from Basic (43%) research, which is directed mostly at visual displays. There is also a substantial base of literature from Military (26%) applications, which is directed mostly at aviation cockpit displays. Not surprisingly, the number of Military (26%) work is double the literature related directly to Maritime (13%) work. But there is surprisingly less literature from Industrial (18%) domains, such as transportation.

The relevant literature was also categorized in terms of type as shown in **Figure 3** (*Literature by Type*) below.




Figure 3. Literature by Type

As illustrated above, more than half of the literature identified is in the category of Laboratory (51%) experiment. This reflects the lack of maturity of the domain, in that Concepts (17%) have been generated and are still being thoroughly tested. Even further, there is a noticeable lack of Field (5%) evaluations supporting this conclusion.

Another reason for the heavy weighting of literature in the area of tested concepts is that the area of operator performance using multiple displays is very much a technology-enabled field. As new technologies are developed in an extremely fast pace, possible forms of display support also change. The available technologies for operator performance support have been developing very rapidly, and with such technological expansion, there are many rewards in the publication and commercialization for testing exciting concepts. This pattern is seen to a large extent in the human-computer interaction literature and the basic research category. However, that pattern continues in the military and industrial categories, with a heavy concentration on evaluation in the laboratory and a slower movement towards new concepts or field evaluations.

3.2 Literature Ranking Results

Of the literature identified in the survey, and summarized in Section 3.1, a number of documents were selected for a more detailed review. This list was developed based on a review of the abstracts of the literature listed in the *Bibliography*. Unfortunately, the limited budget for the project provided time for a review of only 7 best-ranked documents shown in *Table 4 (Literature Ranking Results)* below.

Table 4. Literature Ranking Results

LITERATURE	TOTAL
DiVita, J.C., Obermayer, R., Nugent, W., and Linville, J.M. (2004)	17
Durlach, P.J. (2004)	17
Hale, K.S. and Stanney, K.M. (2003)	17
Samman, S.N., Stanney, K.M. and Sims, V.K.	16
Stanney, K.M., Samman, S.N., Reeves, L., Hale, K.S., Buff, W....(2004)	16
St. John, M. Manes, D.I., Oonk, H.M., and Ko, H. (1999)	16
Wickens, C.D., Vincow, M.A., Schopper, A.W., and Lincoln, J.E. (1997)	16

The next section presents a short summary of the literature and brief comments on how multiple displays apply to Maritime C4I.

3.3 Literature Reviewed in Detail

DiVita, J.C., Obermayer, R., Nugent, W., and Linville, J.M. (2004). *Verification of the Change Blindness Phenomenon While Managing Critical Events on a Combat Information Display*. Change blindness occurs when humans are unable to detect significant changes in objects and scenes after their attention is momentarily diverted. Because change blindness is relevant in many applied settings, the study investigated the phenomenon in the context of tasks performed by naval command and control system personnel. Operators of such systems are often heavily loaded with concurrent visual search, situation assessment, voice communications, and control display manipulation tasks at large, physically dispersed tactical situation displays. As the operators' attention shifts from one display to another, it creates an opportunity for changes to occur on unattended screens with potentially negative consequences. The results show that on a display containing 8 objects of interest, considerable change blindness was demonstrated in that participants required 2 or more selections to correctly identify a changed object on nearly 1/3 of the test trials. Further, operator performance on 15% of the trials was equivalent to randomly guessing with replacement after making 3 incorrect selections. This research underscores the need for developing effective countermeasures to the change blindness phenomenon. Actual or potential uses of this research include interface design of computer workstations for military applications.

Durlach, P.J. (2004). *Change Blindness and Its Implications for Complex Monitoring and Control Systems Design and Operator Training*. Recent research on change detection suggests that people often fail to notice changes in visual displays when they occur at the same time as various forms of visual transients, including eye blinks, screen flashes, and scene relocation. Distractions that draw the observer's attention away from the location of the change especially lead to detection failure. As process monitoring and control systems rely

on humans interacting with complex visual displays, there is a possibility that important changes in visually presented information will be missed if the changes occur coincident with a visual transient or distraction. The purpose of this article was to review research on so called “change blindness” and discuss its implications for the design of visual interfaces for complex monitoring and control systems. The major implication is that systems should provide users with dedicated change-detection tools, instead of leaving change detection to the vagaries of human memorial and attentional processes. Possible training solutions for reducing vulnerability to change-detection failure are also discussed.

Hale, K.S. and Stanney, K.M. (2003). *Deriving Haptic Design Guidelines from Human Physiological, Psychophysical, and Neurological Foundations*. In order to realize successful integration of haptic interactions into multimodal systems, the sensory, perceptual and cognitive abilities and limitations of users must be examined, and accounted for in the design of haptic systems. To date, many interactive systems have focused on visual cues, and to a lesser extent, audio cues, for presenting information to users concerning their surroundings and interactions with objects. The haptic sense offers another independent sensory channel that can be processed in the brain to further enhance the user’s experience in a multimodal environment. By adding in haptic feedback, realism of the system should be enhanced through more natural interaction with objects and environmental surroundings. This survey paper begins with a review of physiological and psychophysical aspects of human cutaneous and kinesthetic senses. From there, issues of incorporating haptics interaction into a visual display are discussed. Based on an exhaustive literature review, the paper offers many haptics design guidelines to aid developers of multimodal interactive systems.

Samman, S.N., Stanney, K.M. and Sims, V.K. *Think Multimodal to Maximize Information management Capacity*. New human-computer interaction paradigms are being developed that transform user interaction from a primarily visual experience to one that uses multiple senses. While research has advanced in the development of technological breakthroughs, relatively little research has examined the cognitive factors of the user during multimodal multitasking operations. Thus, designers may face problems when creating interfaces that allow operators to process the optimal amount of data. It is herein proposed that more effective multimodal interaction can be accomplished by creating multimodal display systems that are expressly designed to maximize user information processing across the sensory systems. Rather than information overload, the benefits of such systematically designed multimodal interaction should be greater information assimilation, retention, and recall. A theoretically derived multimodal interaction framework is proposed that leverages multiple sensory systems to maximize working memory (WM) throughput. Multiple resource theory (MRT) suggests that enhancements in human information management capacity may be realized via multimodal interaction. The current study proposes an expansion of the traditional bi-modal (verbal, visual/spatial) model of WM to a multimodal WM system, which includes verbal, visual, spatial, kinesthetic, tactile, and tonal component subsystems. Single modality capacity was measured for each proposed subsystem. In addition, multimodal capacity was calculated for combined modalities. Results demonstrated that multimodal WM capacity surpasses that of single modality capacity. Most notably, multimodal WM capacity averaged more than three times the traditional capacity limitation of unidimensional WM. Applications for the multimodal WM framework are relevant when designing multimodal systems for multitasking environments such as those conducted by air traffic controllers, emergency room physicians, and stock brokers.

Stanney, K.M., Samman, S.N., Reeves, L., Hale, K.S., Buff, W., Bowers, C., Goldiez, B, Nicholson, D., and Lackey, S. (2004). *A Paradigm Shift in Interactive Computing: Deriving Multimodal Design Principles from Behavioral and Neurological Foundations*. As technology advances, systems are increasingly able to provide more information than a human operator can process accurately. Thus, a challenge for designers is to create interfaces that allow operators to process the optimal amount of data. It is herein proposed that this may be accomplished by creating multimodal display systems that augment or switch modalities to maximize user information processing. Such a system would ultimately be informed by a user's neurophysiological state. As a first step toward that goal, relevant literature is reviewed and a set of preliminary design guidelines for multimodal information systems is suggested.

St. John, M. Manes, D.I., Oonk, H.M., and Ko, H. (1999). *Workspace Control Diagrams and Head-Mounted Displays as Alternatives to Multiple Monitors in Information-Rich Environments*. In environments such as Navy command and control, supervision and multi-tasking are often hindered by a shortage of screen space. An obvious solution is to use more or larger monitors. An inexpensive and practical alternative is to use an interface that allows rapid switching between workspaces (screens of information), providing, in effect, a large virtual desktop. One potentially effective switching interface is a workspace control diagram: a meaningful arrangement of buttons, each of which provides access to and information for a particular workspace. In the first experiment, participants best performed a task that required frequent navigation among workspaces using two real monitors but were nearly as proficient when using one monitor with a workspace control diagram operated by hot keys. In the second experiment, participants performed concurrent tracking and monitoring tasks about equally using four monitors with all workspaces visible and using two monitors with a workspace control diagram. Additionally, the authors discuss the potential of a much more radical workstation design alternative: head-mounted displays.

Wickens, C.D., Vincow, M.A., Schopper, A.W., and Lincoln, J.E. (1997). *Computational Models of Human Performance in the Design and Layout of Controls and Displays*. This literature describes both conceptual and empirically derived models pertaining to the layout and grouping of information within display panels and display screens. Several of the models reviewed are also applicable to the spatial organization of controls and displays. Principles relating to centrality of location, symmetry, clutter, frequency of use, sequence of use, relative importance, and relatedness are considered. The models are organized into three areas: (a) physical arrangements of the information to be displayed emphasizing issues such as overall and local screen density, grouping, and alignment, (b) interrelationships derived from content and task-related factors and information processing considerations, and (c) more comprehensive conceptual and software-based engineering models derived from groupings, density, and task-related consideration; relative importance of various components and information groups; and relative distance and location.

4. Conclusions and Recommendations

A survey of the literature related to operator performance using multiple displays has been completed in order to provide feedback on the domain, type and quality of the literature and to recommend areas of future research. The type of literature identified indicated that there is more relevant literature in the military than the maritime domain. There is also a substantial base of literature from basic research, which is directed mostly at visual displays. This literature base, however, does not have much depth. Much of the literature is at the experimental phase of development. This reflects the lack of maturity of the domain, in that less new ideas have been generated than have been tested.

In cases where actual evaluations of multiple display technologies have been conducted there are a number of concerns with the quality of research, particularly as a result of unrepresentative subject groups and tasks, inappropriate measures, and poor interface design of displays.

Human factors research on complex processes, both their control and their fault management and diagnosis, remains an immature domain. Many of the recommendations concerning displays translate directly from the general practice of good human factors, and this approach has been implemented with some degree of success. Yet it is equally clear that great improvements are possible by combining theories of cognitive psychology with increasingly available computer and display technology. This area of cognitive engineering is one in which relatively little engineering psychology research has been conducted to assess the utility of the recommendations made by such researchers as Wickens, Stanney and St. John. The potential payoffs of this research appear to be quite high, in light of the fact that systems are evolving toward greater complexity with increasing levels of automation.

In order to extend the literature, in a manner that would generate valid guidance for future operator performance using multiple displays in the maritime environment, it is recommended that a research and development program be conducted, as follows:

4. Extend the literature review on operator performance using multiple displays;
5. Conduct maritime multiple display experiments; and
6. Coordinate and consolidate multiple display research.

5. References

1. Burns, C., Greenley, M., Roth, E., Barone, A., Brooks, J. (2002). *Literature Survey for Collaborative Displays*. Department of National Defence, Defence Research and Development Canada – Toronto, ON. Canada.
2. Chapanis, A. (1996). *Human Factors in Systems Engineering*. John Wiley & Sons, Inc., New York, NY, USA.
3. DiVita, J.C., Obermayer, R., Nugent, W., and Linville, J.M. (2004). *Verification of the Change Blindness Phenomenon While Managing Critical Events on a Combat Information Display*. Human Factors, Vol. 46, No.2, 205-218.
4. Durlach, P.J. (2004). *Change Blindness and Its Implications for Complex Monitoring and Control Systems Design and Operator Training*. Human-Computer Interaction, Vol. 19, 423-451.
5. Hale, K.S. and Stanney, K.M. (2003). *Deriving Haptic Design Guidelines from Human Physiological, Psychophysical, and Neurological Foundations*. IEEE Computer Graphics and Applications.
6. Samman, S.N., Stanney, K.M. and Sims, V.K. *Think Multimodal to Maximize Information management Capacity*. Design Interactive, Inc.
7. Stanney, K.M., Samman, S.N., Reeves, L., Hale, K.S., Buff, W., Bowers, C., Goldiez, B, Nicholson, D., and Lackey, S. (2004). *A Paradigm Shift in Interactive Computing: Deriving Multimodal Design Principles from Behavioral and Neurological Foundations*. International Journal of Human-Computer Interaction, 17(2), 229-257.
8. St. John, M. Manes, D.I., Oonk, H.M., and Ko, H. (1999). *Workspace Control Diagrams and Head-Mounted Displays as Alternatives to Multiple Monitors in Information-Rich Environments*. Proceedings of the Human Factors and Ergonomics Society 43rd Annual Meeting, Santa Monica, CA, USA.
9. Wickens, C.D. and Hollands, J.G. (2000). *Engineering Psychology and Human Performance* (3rd edition). Prentice-Hall Inc., Upper Saddle River, NJ, USA.
10. Wickens, C.D., Vincow, M.A., Schopper, A.W., and Lincoln, J.E. (1997). *Computational Models of Human Performance in the Design and Layout of Controls and Displays*. Crew System Ergonomics Information Analysis Center (CSERIAC).

Annex A – Literature Categorization Matrix

		LITERATURE TYPE			
		CONCEPT	LAB	FIELD	REVIEW
DOMAIN RELEVANCE	MARITIME	<ol style="list-style-type: none"> Meyer, Sandhu...(2002) Nugent, White (2000) 	<ol style="list-style-type: none"> DiVita, Nugent (2000) Hutchins (1997) Nugent (1994) Nugent (1996) Nugent, Broyles (1992) St. John, Manes...(2004) St. John, Smallman...(2005) Van Orden, Nugent...(1999) 	<ol style="list-style-type: none"> DiVita, Obermayer...(2004) 	<ol style="list-style-type: none"> Burns, Greenley...(2002) Layman, Weatherly (2004)
	MILITARY	<ol style="list-style-type: none"> Hopper (1998) Hopper (1999) Hopper (2000) Hopper, 1000X... (2000) 	<ol style="list-style-type: none"> Durlach (2004) Durlach, Carnahan...(2004) Kuperman, Brickner...(1999) Lickteig, Novice...(2004) Nelson, Bolia...(1999) Snow, French...(2003) Tannen, Nelson...(2000) Yeh, Merlo...(2003) 	<ol style="list-style-type: none"> Banks, Wickens (1997) Glumm, Branscome...(1999) 	<ol style="list-style-type: none"> Arrabito (2000) Desjardins, Hopper (1999) Durlach, CB (2004) Fullenkamp (2004) Hutchins (2001) Hutchins, Kemple...(1997) Kocian (1990) Lickteig, A Focus...(2003) Lickteig, Future...(2004) Lickteig, Human...(2003) Lickteig, Measurement...(2004) Naikar (1998)
	INDUSTRY	<ol style="list-style-type: none"> Mackinlay, Heer (2004) Wickens, Display...(2005) 	<ol style="list-style-type: none"> Bud, Stearns...(1998) Donderi, McFadden (2003) Jones, Samman... Lanzilotta, Sheridan (2005) III Marinakos, Sheridan...(2005) Meyer, Sandhu...(2002) Muthard, Wickens (2004) Muthard, Wickens (2005) Wickens, Alexander...(2004) Wickens, Dixon...(2003) Wickens, Goh...(2003) 	<ol style="list-style-type: none"> Grudin (2001) 	<ol style="list-style-type: none"> Kaber, Riley...(2001) Mandal (2003) Mejdal, McCauley...(2001) Post, Task (2001)

LITERATURE TYPE				
	CONCEPT	LAB	FIELD	REVIEW
BASIC	<ol style="list-style-type: none"> 1. Bisantz, Pritchett (2003) 2. Hornof (2004) 3. Lee, Vickers (1998) 4. Pattison, Vernik...(2001) 5. Slay, Thomas... 6. Smallman...(2005) 7. Vicente (2003) 8. Vogels (2004) 9. Wee, Chua (2004) 	<ol style="list-style-type: none"> 1. Akeley, Watt...(2004) 2. Anderson (2005) 3. Bera, Robinson (2004) 4. Boot, Kramer... 5. Cole, Kentridge (2004) 6. Dessing, Peper...(2004) 7. DiVita, Rock (1997) 8. Harris, Morris (2004) 9. Hinckley, Ramos...(2004) 10. Hutchings, Smith...(2004) 11. Konrad, Kramer...(1996) 12. Mandryk, Rodgers...(2005) 13. Murata (2004) 14. Murray (1994) 15. Murray (1995) 16. Nikolic, Orr...(2004) 17. Oliva, Wolfe...(2004) 18. Olivers (2004) 19. Samman, Stanney... 20. Singer, Ehrlich...(1995) 21. St. John, Harris...(1997) 22. St. John, Manes (2002) 23. St. John, Manes...(1999) 24. Vogels (2004) 	<ol style="list-style-type: none"> 1. Hutchings, Stasko (2004) 	<ol style="list-style-type: none"> 1. Burdea (2003) 2. Chapanis (1996) 3. Hale, Stanney (2003) 4. Hettinger, Haas (2003) 5. Sheridan (2002) 6. Stanney (2002) 7. Stanney, Samman...(2004) 8. Wickens, Attentional...(2005) 9. Wickens, Vincow...(1997)

Annex B – Literature Ranking

LITERATURE	CRITICAL ANALYSIS CRITERIA							TOTAL
	1	2	3	4	5	6	7	
Akeley, Watt...(2004)	1	2	2	2	1	2	2	12
Anderson (2005)	1	2	2	2	1	2	2	12
Arrabito (2000)	2	2	2	2	2	2	3	15
Banks, Wickens (1997)	2	2	2	2	2	2	3	15
Bera, Robinson (2004)	1	2	2	2	1	2	2	12
Bisantz, Pritchett (2003)	1	2	2	2	1	2	2	12
Boot, Kramer...	1	2	2	2	1	2	2	12
Bud, Stearns...(1998)	1	2	2	2	1	2	2	12
Burdea (2003)	1	2	2	2	1	2	2	12
Burns, Greenley...(2002)	2	2	2	2	2	2	3	15
Chapanis (1996)	1	2	2	2	1	2	2	12
Cole, Kentridge (2004)	1	2	2	2	1	2	2	12
Desjardins, Hopper (1999)	1	2	2	2	1	2	1	11
Dessing, Peper...(2004)	1	2	2	2	1	2	1	11
DiVita, Nugent (2000)	2	2	2	2	2	2	3	15
DiVita, Obermayer...(2004)	3	2	2	2	3	2	3	17
DiVita, Rock (1997)	1	2	2	2	1	2	1	11
Donderi, McFadden (2003)	1	2	2	2	1	2	2	12
Durlach (2004)	1	2	2	2	1	2	2	12
Durlach, Carnahan...(2004)	1	2	2	2	1	2	1	11
Durlach, CB (2004)	3	2	2	2	3	2	3	17
Fullenkamp (2004)	1	2	2	2	1	2	1	11
Glumm, Branscome...(1999)	1	2	2	2	1	2	1	11
Grudin (2001)	1	2	2	2	1	2	1	11
Hale, Stanney (2003)	3	2	2	2	3	2	3	17
Harris, Morris (2004)	1	2	2	2	1	2	1	11
Hettinger, Haas (2003)	1	2	2	2	1	2	2	12
Hinckley, Ramos...(2004)	1	2	2	2	1	2	2	12
Hopper (1998)	1	2	2	2	1	2	2	12
Hopper (1999)	1	2	2	2	1	2	2	12
Hopper (2000)	1	2	2	2	1	2	2	12
Hopper, 1000X... (2000)	1	2	2	2	1	2	2	12
Hornof (2004)	2	2	2	2	2	2	3	15
Hutchings, Smith...(2004)	2	2	2	2	2	2	3	15
Hutchings, Stasko (2004)	2	2	2	2	1	1	2	12
Hutchins (1997)	1	2	2	2	1	2	2	12
Hutchins (2001)	1	2	2	2	1	2	2	12
Hutchins, Kemple...(1997)	1	2	2	2	1	2	2	12
Jones, Samman...	2	2	2	2	2	2	3	15
Kaber, Riley...(2001)	1	2	2	2	1	2	2	12
Kocian (1990)	1	2	2	2	1	2	2	12
Konrad, Kramer...(1996)	1	2	2	2	1	2	2	12

LITERATURE	CRITICAL ANALYSIS CRITERIA							TOTAL
	1	2	3	4	5	6	7	
Kuperman, Brickner...(1999)	1	2	2	2	1	2	2	12
Lanzilotta, Sheridan (2005) III	1	2	2	2	1	2	1	11
Layman, Weatherly (2004)	2	2	2	2	3	2	2	15
Lee, Vickers (1998)	1	2	2	2	1	2	2	12
Lickteig, A Focus...(2003)	1	2	2	2	2	2	2	13
Lickteig, Future...(2004)	1	2	2	2	2	2	2	13
Lickteig, Human...(2003)	1	2	2	2	2	2	2	13
Lickteig, Measurement...(2004)	1	2	2	2	2	2	2	13
Lickteig, Novice...(2004)	1	2	2	2	2	2	2	13
Mackinlay, Heer (2004)	1	2	2	2	2	2	2	13
Mandal (2003)	1	2	2	2	1	2	1	11
Mandryk, Rodgers...(2005)	1	2	2	2	2	2	2	13
Marinakos, Sheridan...(2005)	1	2	2	2	1	2	2	12
Mejdal, McCauley...(2001)	2	2	2	2	1	2	1	12
Meyer, Sandhu...(2002)	1	2	2	2	1	2	1	11
Meyer, Sandhu...(2002)	1	2	2	2	2	2	1	12
Murata (2004)	1	2	2	2	1	2	2	12
Murray (1994)	2	2	2	2	3	2	2	15
Murray (1995)	2	2	2	2	3	2	2	15
Muthard, Wickens (2004)	1	2	2	2	2	2	2	13
Muthard, Wickens (2005)	1	2	2	2	2	2	2	13
Naikar (1998)	2	2	2	2	3	2	2	15
Nelson, Bolia...(1999)	2	2	2	2	2	2	3	15
Nikolic, Orr...(2004)	1	2	2	2	1	2	2	12
Nugent (1994)	1	2	2	2	2	2	2	13
Nugent (1996)	1	2	2	2	2	2	2	13
Nugent, Broyles (1992)	1	2	2	2	2	2	2	13
Nugent, White (2000)	1	2	2	2	2	2	2	13
Oliva, Wolfe...(2004)	1	2	2	2	1	2	1	11
Olivers (2004)	1	2	2	2	2	2	2	13
Pattison, Vernik...(2001)	1	2	2	2	1	2	1	11
Post, Task (2001)	1	2	2	2	2	2	2	13
Samman, Stanney...	3	2	2	2	3	2	2	16
Sheridan (2002)	1	2	2	2	1	2	1	11
Singer, Ehrlich...(1995)	1	2	2	2	2	2	1	12
Slay, Thomas...	1	2	2	2	1	2	1	11
Smallman...(2005)	1	2	2	2	2	2	1	12
Snow, French...(2003)	1	2	2	2	1	2	2	12
Stanney (2002)	2	2	2	2	2	2	2	14
Stanney, Samman...(2004)	2	2	2	2	3	2	3	16
St. John, Harris...(1997)	2	2	2	2	2	2	2	14
St. John, Manes (2002)	1	2	2	2	1	2	2	12
St. John, Manes...(1999)	2	2	2	2	3	2	3	16
St. John, Manes...(2004)	1	2	2	2	3	2	2	14

LITERATURE	CRITICAL ANALYSIS CRITERIA							TOTAL
	1	2	3	4	5	6	7	
St. John, Smallman...(2005)	1	2	2	2	3	2	2	14
Tannen, Nelson...(2000)	2	2	2	2	3	2	2	15
Van Orden, Nugent...(1999)	1	2	2	2	2	2	2	13
Vicente (2003)	1	2	2	2	2	2	2	13
Vogels (2004)	1	2	2	2	1	2	2	12
Wee, Chua (2004)	1	2	2	2	1	2	2	12
Wickens, Attentional...(2005)	2	2	2	2	2	2	2	14
Wickens, Display...(2005)	2	2	2	2	2	2	2	14
Wickens, Alexander...(2004)	1	2	2	2	2	2	2	13
Wickens, Dixon...(2003)	2	2	2	2	2	2	2	14
Wickens, Goh...(2003)	2	2	2	2	2	2	2	14
Wickens, Vincow...(1997)	3	2	2	2	2	2	3	16
Yeh, Merlo...(2003)	1	2	2	2	2	2	1	12

Bibliography

- Ahlstrom, V. and Longo, K. (2003). Human Factors Design Standard (HFDS) – For Acquisition of Commercial Off-The-Shelf Subsystems, Non-Developmental Items, and Developmental Systems. U.S. Department of Transportation & Federal Aviation Administration Technical Center, Atlantic City, NJ, USA.
- Akeley, K., Watt, S.J., Girshick, A.R., and Banks, M.S. (2004). *A Stereo Display Prototype with Multiple Focal Distances*. ACM, Inc., New York, NY, USA.
- Alexander, A.L. and Wickens, C.D. (2005). *3D Navigation and Integrated Hazard Display in Advanced Avionics: Performance, Situation Awareness, and Workload*. Institute of Aviation, Aviation Human Factors Division, Savoy, IL, USA.
- American Bureau of Shipping (2003). Guidance Notes for the Application of Ergonomics to Marine Systems. Houston, TX, USA.
- Anderson, A.K. (2005). *Affective Influences on the Attentional Dynamics Supporting Awareness*. Journal of Experimental Psychology: General, Vol. 134, No. 2, 258-281.
- Arrabito, G.R. (2000). An Evaluation of Three-Dimensional Audio Displays for Use in Military Environments. Canadian Acoustics, Vol. 28, No. 4, 4-14.
- Banks, R. and Wickens, C.D. (1997). Commanders' Display of Terrain Information: Manipulations of Display Dimensionality and Frame of Reference to Support Battlefield Visualization. Institute of Aviation, Aviation Human Factors Division, Savoy, IL, USA.
- Barbato, G., Feitshans, G., Williams, R., and Hughes, T. (2002). *Unmanned Combat Air Vehicle Controls & Displays for Suppression of Enemy Air Defenses*. Proceedings of the 12th International Symposium on Aviation Psychology.
- Bera, S.J. and Robinson, D.H. (2004). *Exploring the Boundary Conditions of the Display Hypothesis with Adjunct Displays*. Journal of Educational Psychology, Vol. 96, No. 2, 381-388.
- Bisantz, A.M. and Pritchett, A.R. (2003). Measuring the Fit Between Human Judgements and Automated Alerting Algorithms: A Study of Collision Detection. Human Factors, Vol. 45, No. 2, 266-280.
- Boot, W.R., Kramer, A.F., Becic, E., Wiegmann, D.A., and Kubose, T. *Detecting Transient Changes in Dynamic Displays: The More You Look, The Less You See*. Beckman Institute, University of Illinois at Urbana-Champaign, Urbana, IL, USA.
- Bud, Melissa J., Stearns, M, and Mengert, P. (1998). *Terrain Display Alternatives: Assessment of Information Density and Alerting Strategies*. U.S. Department of

Transportation, Research and Special Programs Administration, John. A. Volpe National Transportation Systems Center, Cambridge, MA, USA.

Burdea, G, and Coiffet, P. (2003). *Virtual Reality Technology* (2nd edition). J. Wiley-Interscience, Hoboken, NJ, USA.

Burns, C., Greenley, M., Roth, E., Barone, A., Brooks, J. (2002). *Literature Survey for Collaborative Displays*. Department of National Defence, Defence Research and Development Canada – Toronto, ON. Canada.

Chapanis, A. (1996). *Human Factors in Systems Engineering*. John Wiley & Sons, Inc., New York, NY, USA.

Chengalur, S.N., Rodgers, S.H., and Bernard, T.E. (2004). *Kodak's Ergonomic Design for People at Work* (2nd edition). The Eastman Kodak Company. John Wiley & Sons, Inc., Hoboken, NJ, USA.

Cole, G.G., Kentridge, R.W., and Heywood, C.A. (2004). *Visual Saliency in the Change Detection Paradigm: The Special Role of Object Onset*. Journal of Experimental Psychology: Human Perception and Performance, Vol. 3, No. 3, 464-477.

Crebolder, J.M., Unruh, T.D.M., and McFadden, S. (2003). *Search Performance Using Imaging Displays With Restricted Field of View*. Department of National Defence, Defence Research and Development Canada – Toronto, ON. Canada.

Demczuk, V.J. (1995). *Human-Computer Interaction: An Overview*. Department of Defence, Defence Science and Technology Organisation, Information Technology Division, Electronics and Surveillance Research Laboratory, Salisbury, Australia.

Department of National Defence, Defence Research and Development Canada (April 2000). *Scientific and technical report templates: Guide for authors*. Publishing Plus Ltd., Ottawa, ON, Canada.

Desjardins, D.D. and Hopper, D.G. (1999). *Updated Defense Display Market Assessment*. Cockpit Displays VI: Displays for Defense Applications, Darrel G. Hopper, Editor, SPIE 3690, 2-25.

Dessing, J.C., Peper, C.E., and Beek, P.J. (2004). *A Comparison of Real Catching With Catching Using Stereoscopic Visual Displays*. Ecological Psychology, 16(1), 1-21.

DiVita, J.C. and Nugent, W.A. (2000). *Managing Critical Events in a Multimodal Watchstation*. Space and Naval Warfare (SPAWAR) Systems Center, San Diego, CA, USA.

DiVita, J.C., Obermayer, R., Nugent, W., and Linville, J.M. (2004). *Verification of the Change Blindness Phenomenon While Managing Critical Events on a Combat Information Display*. Human Factors, Vol. 46, No.2, 205-218.

DiVita, J.C. and Rock, I. (1997). *A belongingness Principle of Motion Perception*. Vision Department, U.S. Naval Submarine Medical Research Laboratory.

Donderi, D.C. (2003). *A Complexity Measure for Electronic Displays: Final Report on the Experiments*. Department of National Defence, Defence Research and Development Canada – Toronto, ON, Canada.

Donderi, D.C. and McFadden, S. (2003). A Single Marine Overlay Display is More Efficient Than Separate Chart and Radar Displays. *Displays*, 24, 147-155.

Durlach, P.J. (2004). *Army Digital Systems and Vulnerability to Change Blindness*. U.S. Army Research Institute for the Behavioral and Social Sciences, Orlando, FL, USA.

Durlach, P.J. (2004). Change Blindness and Its Implications for Complex Monitoring and Control Systems Design and Operator Training. *Human-Computer Interaction*, Vol. 19, 423-451.

Durlach, P.J., Carnahan, T.J., Bowens, L.D., and Neumann, J.L. (2004). *Coding Verbal Interactions in a Prototype Future Force Command and Control Simulation*. U.S. Army Research Institute for the Behavioral and Social Sciences, Orlando, FL, USA.

Durlach, P.J. and Chen, J.Y.C. (2003). *Visual Change Detection in Digital Military Displays*. U.S. Army Research Institute for the Behavioral and Social Sciences, Orlando, FL, USA.

Einhorn, J., Sheridan, T.B., and Multer, J. (2005). *Preview Information in Cab Displays for High-Speed Locomotives*. U.S. Department of Transportation, Research and Special Programs Administration, John. A. Volpe National Transportation Systems Center, Cambridge, MA, USA.

Fiset, J.-Y. (2001). *Conception d'interfaces humains-machines pour la conduite de systèmes complexes*. Université de Montréal, École Polytechnique, Département de génie électrique et de génie informatique.

Fullenkamp, S. (2004). *AFRL Battlespace Visualization Branch Display Characterization Facility*. Northrop Grumman Information Technology, Fairborn, OH, USA.

Geiselman, E.E. (1999). *Development of a Non-Distributed Flight Reference Symbology for Helmet-Mounted Display Use During Off-Boresight Viewing*. Proceedings for the Fourth Annual Symposium and Exhibition on Situational Awareness in the Tactical Air Environment, Naval Air Warfare Center- Aircraft Division, Patuxent River, MD., USA, pp. 118-126.

Geiselman, E.E. (1999). *Practical Considerations for Fixed Wing Helmet-Mounted Display Symbology Design*. Proceedings of the Human Factors and Ergonomics Society 43rd Annual Meeting, Santa Monica, CA., USA, pp.1187-1191.

Geiselman, E.E. and Post, D.L. (1999). *Helmet-Mounted Display Targeting Symbology Color Coding: An Air-to-Air Scenario Evaluation*. *Helmet- and Head-Mounted Displays IV*. R.J. Lewandowski, L.A. Haworth, W. Stephens, and H.J. Girolamo (Eds.), The International Society for Optical Engineering, Bellingham, WA, USA., pp. 66-75.

- Glumm, M.M, Branscome, T.A., Patton, D.J., Mullins, L.L., and Burton, P.A. (1999). *The Effects of an Auditory Versus Visual Presentation of Information on Soldier Performance*. Aberdeen Proving Ground, MD: U.S. Army Research Laboratory.
- Grudin, J. (2001). *Partitioning Digital World: Focal and Peripheral Awareness in Multiple Monitor Use*. Special Interest Group on Computer-Human Interaction (SIGCHI) Conference, March 31-April 4, Seattle, WA, USA.
- Hale, K.S. and Stanney, K.M. (2003). Deriving Haptic Design Guidelines from Human Physiological, Psychophysical, and Neurological Foundations. IEEE Computer Graphics and Applications.
- Hancock, P.A. (1999). *Human Performance and Ergonomics*. Handbook of Perception and Cognition (2nd edition). Academic Press, London, UK.
- Harris, C.L. and Morris, A.L. (2004). *Repetition Blindness Occurs in Nonwords*. Journal of Experimental Psychology: Human Perception and Performance, Vol. 30, No. 2, 305-318.
- Hettinger, L.J. and Haas, M. (2003). Virtual and Adaptive Environments: Implications and Human Performance Issues. Lawrence Erlbaum, Mahwah, NJ, USA.
- Hinckley, K., Ramos, G., Guimbretière, F., Baudisch, P. and Smith, M. (2004). *Stitching: Pen Gestures that Span Multiple Displays*. Advanced Visual Interfaces (AVI) Conference, May 25-28, Gallipoli, LE, Italy.
- Hopper, D.G. (2000). 1000 X Difference Between Current Displays and Capability of Human Visual System: Payoff Potential for Affordable Defense Systems. Cockpit Displays VII: Displays for Defense Applications, Proc. SPIE 4022, pp. 378-389.
- Hopper, D.G. (2000). *Reality and Surreality of 3-D Displays: Holodeck and Beyond*. Electronic Information Display Conference of Society for Information Display (SID@EID), Central London, England UK.
- Hopper, D.G. (1999). *A Vision of Displays of the Future*. Society for Information Display (SID) Electronic Information Displays Digest, Sandown Park, Esher, UK.
- Hopper, D.G. (1999). *21st Century Aerospace Defense Displays*. Society for Information Display (SID) Symposium Technical Digest, session 29, Applications: Airborne Displays, paper 29.1, pp. 414-417.
- Hopper, D.G. (1998). *Performance Specification Methodology: Introduction and Application to Displays*. Cockpit Displays V: Displays for Defense Applications, Proc. SPIE 3363, pp.33-46.
- Hopper, D.G. and Desjardins, D.D. (1999). *Aerospace Display Requirements: Aftermarket and New Vehicles*. Proceedings of the 6th Annual Strategic and Technical Symposium "Vehicular Applications of Displays and Microsensors", Society for Information Display (SID), Metropolitan Detroit Chapter, pp. 59-62.

- Hopper, D.G., Meyer, F.M., and Wodke, K.E., (1999). *Status of Display Systems in B-52H. Cockpit Displays VI: Displays for Defense Applications*, Proc, SPIE 3690, pp. 83-92.
- Hornof, A.J. (2004). Cognitive Strategies for the Visual Search of Hierarchical Computer Displays. *Human-Computer Interaction*, Vol. 19, 183-223.
- Hutchings, D.R., Smith, G., Meyers, B., Czerwinski, M., and Robertson, G. (2004). *Display Space Usage and Window management Operation Comparison between Single Monitor and Multiple Monitor Users*. Advanced Visual Interfaces (AVI) Conference, May 25-28, Gallipoli, LE, Italy.
- Hutchings, D.R. and Stasko, J. (2004). *Revisiting Display Space Management: Understanding Current Practice to Inform Next-generation Design*. Canadian Human-Computer Communications Society, London, ON, Canada.
- Hutchins, S.G. (2001). Analysis of Human Factors Case Studies of Complex Military Systems: Here's How We Can Do Better. Naval Postgraduate School, Monterey, CA, USA.
- Hutchins, S.G. (1997). *Decision-making Errors Demonstrated by Experienced Naval Officers in a Littoral Environment*. U.S. Naval Command, Control and Ocean Surveillance Center, San Diego, CA, USA.
- Hutchins, S.G., Kemple, W.G., Entin, E.E., and Kleinman, D.L. (1997). *Measures of Effectiveness Under Different Command and Control Organizational Architectures*. Naval Postgraduate School, Monterey, CA, USA.
- Jones, D.L., Samman, S.N., Stanney, K.M., and Graeber, D. *Speech, Earcons, Auditory Spatial Signals (SEAS): An Auditory Multimodal Approach*. Design Interactive, Inc.
- Kaber, D.B., Riley, J.M., Tan, K-W., and Endsley, M.R. (2001). *On the Design of Adaptive Automation for Complex Systems*. *International Journal of Cognitive Ergonomics*, 5(1), 37-57.
- Kocian, D.F. (1990). *Design Considerations for Virtual Panoramic Display (VPD) Helmet Systems*. Conference Proceedings No.425 The Man-Machine Interface In Tactical Aircraft Design and Combat Automation.
- Kocian, D.F. (1991). *Visually Coupled Systems (VCS): The Virtual Panoramic Display (VPD) System*. Proceedings of Fifth Annual Workshop on Space Operations, Applications, and Research (SOAR '91), Houston, TX, USA.
- Konrad, C.M., Kramer, A.F., Watson, S.E., and Weber, T.A. (1996). *A Comparison of Sequential and Spatial Displays in a Complex Monitoring Task*. *Human Factors*, 38(3), 464-483.
- Kuperman, G.G., Brickner, M.S., and Nadler, I., (1999). *An Assessment of Alternative SAR [Synthetic Aperture Radar] Display Formats: Orientation and Situational Awareness*. Proceedings of the Second International Conference on Information Fusion, Session RA3:

Information Fusion for Decision Support, Sunnyvale, CA, USA. International Society of Information Fusion, pp. 910-917.

Lanzilotta, E.J. and Sheridan, T.B. (2005). *Human Factors Phase III: Effects of Train Control Technology on Operator Performance*. U.S. Department of Transportation, Research and Special Programs Administration, John. A. Volpe National Transportation Systems Center, Cambridge, MA, USA.

Lanzilotta, E.J. and Sheridan, T.B. (2005). *Human Factors Phase IV: Risk Analysis Tool for New Train Control Technology*. U.S. Department of Transportation, Research and Special Programs Administration, John. A. Volpe National Transportation Systems Center, Cambridge, MA, USA.

Layman, G. and Weatherly, J. (2004). *New Navy Solutions: Developing Simulation Based C4I Applications*. European Simulation Interoperability Workshop, Scotland, UK.

Lee, M.D. and Vickers, D. (1998). *Psychological Approaches to Data Visualisation*. Department of Defence, Defence Science and Technology Organisation, Information Technology Division, Electronics and Surveillance Research Laboratory, Salisbury, Australia.

Lefrançois, M. (2004). *Information Exchange Requirements for Networked Underwater Warfare*. Department of National Defence, Defence Research and Development Canada – Atlantic, Halifax, NS, Canada.

Lickteig, C.W., Sanders, W.R., Durlach, P.J., and Carnahan, T.J. (2004). *Future Combat Systems Command and Control (FCS C2) Human Functions Assessment: Interim Report – Experiment 3*. U.S. Army Research Institute for the Behavioral and Social Sciences, Fort Knox, NY, USA.

Lickteig, C.W., Sanders, W.R., Durlach, P.J., Lussier, J.W., Carnahan, T.J., and Sauer, G. (2003). *A Focus on Battle Command: Human System Integration for Future Command Systems*. U.S. Army Research Institute for the Behavioral and Social Sciences, Fort Knox, NY, USA.

Lickteig, C.W., Sanders, W.R., Lussier, J.W., and Durlach, P.J. (2004). *Measurement of Human Performance for Future Combat Systems Command and Control*. U.S. Army Research Institute for the Behavioral and Social Sciences, Alexandria, VA, USA.

Lickteig, C.W., Sanders, W.R., Lussier, J.W., Durlach, P.J., and Carnahan, T.J. (2004). *Novice Versus Expert Command Groups: Preliminary Findings and Training Implications for Future Combat Systems*. U.S. Army Research Institute for the Behavioral and Social Sciences, Alexandria, VA, USA.

Lickteig, C.W., Sanders, W.R., Lussier, J.W., Durlach, P.J., and Carnahan, T.J. (2003). *Human Performance Essential to Battle Command: Report on Four Future Combat Systems Command and Control (FCS C2) Experiments*. U.S. Army Research Institute for the Behavioral and Social Sciences, Fort Knox, NY, USA.

- Mackinlay, J.D. and Heer, J. (2004). *Wideband Displays: Mitigating Multiple Monitor Seams*. Computer-Human Interaction (CHI) Conference, April 24-29, Vienna, Austria.
- Malsch, N., Sheridan, T.B., and Multer, J. (2004). *Impact of Data Link Technology on Railroad Dispatching Operations*. U.S. Department of Transportation, Research and Special Programs Administration, John. A. Volpe National Transportation Systems Center, Cambridge, MA, USA.
- Mandal, M.K. (2003). *Multimedia Signals and Systems*. Kluwer Academic Publishers, Boston, MA. USA.
- Mandryk, R.L., Rodgers, M.E. and Inkpen, K.M. (2005). *Sticky Widgets: Pseudo-haptic Widget Enhancements for Multi-monitor Displays*. Computer-Human Interaction (CHI) Conference, April 2-7, Portland, OR, USA.
- Marasco, P.L. and Task, H.L. (1999). *The Effect on Vision of Light Scatter from HMD Visors and Aircraft Windscreens*. Helmet- and Head-Mounted Displays IV, The Society of Photo-Optical Instrumentation Engineers, Vol. 3689, p. 2-10.
- Marinakos, H., Sheridan, T.B., and Multer, J. (2005). *Effects of Supervisory Train Control Technology on Operator Attention*. U.S. Department of Transportation, Research and Special Programs Administration, John. A. Volpe National Transportation Systems Center, Cambridge, MA, USA.
- Mejdal, S., McCauley, M.E., and Beringer, D.B. (2001). *Human Factors Design Guidelines for Multifunction Displays*. Monterey Technologies Inc., Monterey, CA, USA.
- Meyer, F.M., Aleva, D.L., Longo, S.J., Trissell, T.L., Schwartz, R.F., and Hopper, D.G., (2002). Reflective Display Characterization: Temporal and Spatial Viewability Measurements of Holographic Polymer Dispersed Liquid Crystal (HPDLC) Display Samples. Cockpit Displays IX: Displays for Defense Applications, Proceedings of SPIE Vol. 4712, Orlando FL, USA.
- Meyer, F.M., Sandhu, P.S., Aleva, D.L., Hopper, D.G., Longo, S.J., Trissell, T.L., and Schwartz, R.F. (2002) *Evaluation of a Portable Computer with a Wireless Transflective Display for Use in Avionics Cockpits*. IEEE/SID Metro Detroit Vehicle Displays Symposium'02.
- Mitchell, C.M. (2005). Georgia Tech Multi-Satellite Operations Control Center (GT-MSOCC): Operator Models, Model-Based Displays, and Intelligent Aiding. Georgia Institute of Technology, School of Industrial and Systems Engineering, Center for Human-Machine Systems Research, Atlanta, GA, USA.
- Morrison, J.G., Kelly, R.T., Moore, R.A., and Hutchins, S.G. (1998). *Implications of Decision-making Research for Decision Support and Displays*. U.S. Naval Command, Control and Ocean Surveillance Center, San Diego, CA, USA.

- Multer, J., Rudich, R., and Yearwood, K. (1998). *Human Factors Guidelines for Locomotive Cabs*. U.S. Department of Transportation, Research and Special Programs Administration, John. A. Volpe National Transportation Systems Center, Cambridge, MA, USA.
- Murata, A. (2004). *Foveal Task Complexity and Visual Funneling*. Human Factors, Vol. 46, No. 1, 135-141.
- Murray, S.A. (1995). *Human-Machine Interaction with Multiple Autonomous Sensors*. 6th IFAC/IFIP/IFORS/IEA Symposium on Analysis, Design and Evaluation of Man-Machine Systems, Cambridge, MA, USA.
- Murray, S.A. (1994). *Human Performance Studies for Control of Multiple Remote Systems*. U.S. Department of Defense, Space and Naval Warfare Systems, Technical Report 1658.
- Muthard, E.K. and Wickens, C.D. (2005). *An Evaluation of Scanning of Integrated Hazard Displays as a Function of Size and Event Detection Performance*. Institute of Aviation, Aviation Human Factors Division, Savoy, IL, USA.
- Muthard, E.K. and Wickens, C.D. (2004). *An Examination of the Effects of Display Enlargement on Flight Control*. Institute of Aviation, Aviation Human Factors Division, Savoy, IL, USA.
- Naikar, N. (1998). *Perspective Displays: A Review of Human Factors Issues*. Department of Defence, Defence Science and Technology Organisation, Air Operations Division, Aeronautical and Maritime Research Laboratory, Melbourne, Australia.
- Nelson, W.T., Bolia, R.S., Ericson, M.A., and McKinley, R.L. (1999). *Spatial Audio Displays for Speech Communications: A Comparison of Free Field and Virtual Acoustic Environments*. Proceedings of the Human Factors and Ergonomics Society 43rd Annual Meeting, Human Factors and Ergonomics Society, Santa Monica, CA, USA, pp. 1202-1205.
- Nikolic, M.I., Orr, J.M., and Sarter, N.B. (2004). *Why Pilots Miss the Green Box: How Display Context Undermines Attention Capture*. The International Journal of Aviation Psychology, 14(1), 39-52.
- Nugent, W.A. (1996). *Comparison of Variable Coded Symbolology to a Conventional Tactical Situation Display Method*. U.S. Naval Command, Control and Ocean Surveillance Center, San Diego, CA, USA.
- Nugent, W. A. (1994). Effects of Symbol Type, Selection Tool and Information Density on Tactical Display Visual Search Performance. U.S. Naval Command, Control and Ocean Surveillance Center, San Diego, CA, USA.
- Nugent, W.A. and Broyles, J.W. (1992). *Assessment of Graphics and Text Formats for System Status Displays*. U.S. Naval Command, Control and Ocean Surveillance Center, San Diego, CA, USA.

- Nugent, W.A. and White, D. (2000). *Manpower Modeling and Human-centered Design for 21st Century Naval Platforms*. Space and Naval Warfare (SPAWAR) Systems Center, San Diego, CA, USA.
- Oliva, A., Wolfe, J.M., and Arsenio, H.C. (2004). *Panoramic Search: The Interaction of Memory and Vision in Search Through a Familiar Scene*. Journal of Experimental Psychology: Human Perception and Performance, Vol. 30, No. 6, 1132-1146.
- Olivers, C.N.L. (2004). *Blink and Shrink: The Effect of the Attentional Blink on Spatial Processing*. Journal of Experimental Psychology: Human Perception and Performance, Vol. 30, No. 3, 613-631.
- Oman, C.M., Kendra, A.J., Hayashi, M, Stearns, M.J., and Bürki-Cohen, J. (2001). *Vertical Navigation Displays: Pilot Performance and Workload During Simulated Constant-Angle-of Descent GPS Approaches*. The International Journal of Aviation Psychology, 11(1), 15-31.
- Pattison, T., Vernik, R., and Phillips, M. (2001). *Information Visualisation Using Composable Layouts and Visual Sets*. Department of Defence, Defence Science and Technology Organisation, Information Technology Division, Electronics and Surveillance Research Laboratory, Salisbury, Australia.
- Post, D.L., Geiselman, E.E., and Goodyear, C.D. (2000). *Benefits of Color Coding Weapons Symbology for an Airborne Helmet-Mounted Display*. Human Factors, 41, 515-523.
- Post, D.L., Nagy, A.L., Monnier, P., and Calhoun, C.S. (1998). *Predicting Color Breakup on Field-Sequential Displays: Part 2*. 1998 Society for Information Display International Symposium Digest of Technical Papers, 1037-1040.
- Post, D.L. and Task, H.L. (2001). *Visual Display Technology*. Karwowski, W., (Ed.), International Encyclopedia of Ergonomics and Human Factors (pp. 850-855), London: Taylor & Francis.
- Reising, J.M., Liggett, K.K., and Hartsock, D.C., (1995). *New Flight Display Formats*. Proceedings of the Eighth International Symposium on Aviation Psychology (pp. 86-91).
- Samman, S.N., Stanney, K.M. and Sims, V.K. *Think Multimodal to Maximize Information management Capacity*. Design Interactive, Inc.
- Sanders, M.S. and McCormick, E.J. (1993). *Human Factors in Engineering and Design* (7th edition). McGraw-Hill, Inc., USA.
- Schnell, T., Kwon Y., and Merchant, S. (2004). *Improved Flight Technical Performance in Flight Decks Equipped With Synthetic Vision Information System Displays*. The International Journal of Aviation Psychology, 14(1), 79-102.
- Sheridan, T.B. (2002). *Humans and Automation: System Design and Research Issues*. HFES Issues in Human Factors and Ergonomics Series (Volume 3). John Wiley & Sons, Inc., Santa Monica, CA, USA.

- Singer, M.J., Ehrlich, J., Cinq-Mars, S., and Papin, J.-P. (1995). *Task Performance in Virtual Environments: Stereoscopic Versus Monoscopic Displays and Head-Coupling*. United States Army Research Institute for the Behavioral and Social Sciences, Alexandria, VA, USA.
- Slay, H., Thomas, B., and Vernik, R. *An Interaction Model for Universal Interaction and Control in Multi Display Environments*. University of South Australia, Mawson Lakes, SA, Australia.
- Smallman, H.S. and St. John, M. (2005). *Naive Realism: Misplaced Faith in Realistic Displays*. *Ergonomics in Design*, Vol. 13, No. 3, 6-13.
- Snow, M.P. and French G.A., (2002). Effects of Primary Flight Symbology on Workload and Situation Awareness in a Head-Up Synthetic Vision Display. 21st Digital Avionics Systems Conference.
- Snow, M.P., French, G.A., and Hitzeman, T.A. (2003). *Primary Fight Displays in the T-38C: When Do Differences Among Displays Become Inconsistencies?* Proceedings of the 12th International Symposium on Aviation Psychology.
- Snow, M.P., Jackson, T.W., Meyer, F.M., Reising, J.M., and Hopper, D.G. (1999). *The AMLCD Cockpit: Promise and Payoffs*. *Cockpit Displays VI: Displays for Defense Applications* (pp. 103-114). Bellingham, WA: International Society of Optical Engineers (SPIE).
- Snow, M.P., Reising, J.M., Liggett, K.K., and Barry, T.P. (1999). *Flying Complex Approaches Using a Head-Up Display: Effects of Visibility and Display Type*. 10th International Aviation Psychology Symposium, Columbus, OH: Ohio State University.
- Stanney, K.M. (2002). *Handbook of Virtual Environments: Design, Implementation, and Applications*. Lawrence Erlbaum Associates, Mahwah, NJ, USA.
- Stanney, K.M., Samman, S.N., Reeves, L., Hale, K.S., Buff, W., Bowers, C., Goldiez, B, Nicholson, D., and Lackey, S. (2004). *A Paradigm Shift in Interactive Computing: Deriving Multimodal Design Principles from Behavioral and Neurological Foundations*. *International Journal of Human-Computer Interaction*, 17(2), 229-257.
- St. John, M., Feher, B.A., and Morrison, J.G. (2002). *Evaluating Alternative Symbologies for Decluttering Geographical Displays*. Space and Naval Warfare SPAWAR Systems Center, San Diego, CA. USA.
- St. John, M., Harris, W.C., and Osga, G. (1997). *Designing for Multi-Tasking Environments: Multiple Monitors vs. Multiple Windows*. Proceedings of the Human Factors and Ergonomics Society 41st Annual Meeting, Santa Monica, CA, USA.
- St. John, M. and Manes, D.I. (2002). *Making Unreliable Automation Useful*. Proceedings of the Human Factors and Ergonomics Society 46th Annual Meeting, Santa Monica, CA, USA.

St. John, M., Manes, D.I., Oonk, H.M., and Ko, H. (1999). *Workspace Control Diagrams and Head-Mounted Displays as Alternatives to Multiple Monitors in Information-Rich Environments*. Proceedings of the Human Factors and Ergonomics Society 43rd Annual Meeting, Santa Monica, CA, USA.

St. John, M., Manes, D.I., and Smallman, H.S. (2004). *Heuristic Automation for Decluttering Tactical Displays*. Proceedings of the Human Factors and Ergonomics Society 48th Annual Meeting, Santa Monica, CA, USA.

St. John, M., Smallman, H.S. and Manes, D.I. (2005). *Recovery From Interruptions to a Dynamic Monitoring Task: The Beguiling Utility of Instant Replay*. Proceedings of the Human Factors and Ergonomics Society 49th Annual Meeting, Santa Monica, CA, USA.

Taheri, B., Palffy-Muhoray, P., Kosa, T., and Post, D.L. (2000). *Technology for Electronically Varying Helmet-Visor Tint*. R.J. Lewandoski, W. Stephens, L.A. Haworth, and H.J. Girolamo (Eds.), Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE): Head-Mounted Displays V, 4021, 114-119.

Tannen, R.S., Nelson, W.T., Bolia, R.S., Haas, M.W., Warm, J.S., Hettinger, L.J., Dember, W.N., and Stoffregen, T. A. (2000). *Adaptive Integration of Helmet-Coupled Multi-Sensory Displays for Target Localization*. Proceedings of the IEA 2000 / HFES 2000 Congress, vol. 3, 77-80.

Task, H.L. (2001). *Night Vision Goggle Visual Acuity Assessment: Results of an Interagency Test*. Proceedings of SPIE Conference No. 4361: Helmet- and Head-Mounted Displays VI, Orlando, FL, USA.

Task, H.L. and Goodyear, C. (1999). *Effects of Aircraft Windscreens and Canopies on Helmet Mounted Display/Tracker Aiming Accuracy: Part3*. Proceedings of SPIE Conference No. 3689 Helmet- and Head-Mounted Displays IV, Orlando, FL, USA.

Thayn, J.R., Ghayeb, J., and Hopper, D.G. (1999). *3-D Display Design Concept for Cockpit and Mission Crewstations*. Cockpit Displays VI: Displays for Defense Applications, Darrel G. Hopper, Editor, Proc. SPIE 3690, pp. 180-185.

Tulis, R.W., Hopper, D.G., Morton, D.C., and Shashidhar, R.N. (2001). *Review of Defense Display Research Programs*. Cockpit Displays VIII: Displays for Defense Applications, SPIE 4362, pp.1-25.

U.S. Department of Defense (1999). *Design Criteria Standard, Human Engineering, MIL-STD-1472F*.

U.S. Department of Defense (1998). *Handbook for Human Engineering Design Guidelines, MIL-HDBK-759C*.

U.S. Department of Defense, Human Factors Engineering, Technical Advisory Group, (2000). *Human Engineering Design Data Digest*. Human Factors Standardization Subtag.

- U.S. Department of Defense, Human Factors Engineering, Technical Advisory Group, (2002). *Human Factors "Hot Issues" III*.
- U.S. Department of Defense, Human Factors Engineering, Technical Advisory Group, (2004). *Index of Government Standards on Human Engineering Design Criteria, Processes, and Procedures*. Human Factors Standardization Subtag.
- U.S. Department of Defense, Human Factors Engineering, Technical Advisory Group, (2002). *Index of Non-Government Standards on Human Engineering Design Criteria and Program Requirements/Guidelines*. Human Factors Standardization Subtag, Technical Society/Industry Subgroup.
- U.S. Department of Defense, National Aeronautics and Space Administration, Federal Aviation Administration (1995). *National Plan for Civil Aviation Human Factors: An Initiative for Research and Application*.
- Van Orden, K.F., Nugent, W.A., Lafleur, B., and Moncho, S. (1999). *Assessment of Variable Coded Symbology Using Visual Search Performance and Eye Fixation Measures*. U.S. Naval Health Research Center, Medical Information Systems, San Diego, CA, USA.
- Vicente, K. (2003). *The human factor: revolutionizing the way people live with technology*. Knopf Canada, Toronto, ON, Canada.
- Vogels, I.M.L.C. (2004). *Detection of Temporal Delays in Visual-Haptic Interfaces*. Human Factors, Vol. 46, No. 1, 118-134.
- Wee, S. and Chua, F.K. (2004). *Capturing Attention When Attention "Blinks"*. Journal of Experimental Psychology: Human Perception and Performance, Vol. 30, No. 3, 598-612.
- Wickens, C.D. (2005). *Attentional Tunnelling and Task Management*. Institute of Aviation, Aviation Human Factors Division, Savoy, IL, USA.
- Wickens, C.D. (2005). *Display Formatting and Situation Awareness Model (DFSAM): An Approach to Aviation Display Design*. Institute of Aviation, Aviation Human Factors Division, Moffat Field, CA, USA.
- Wickens, C.D., Alexander, A.L., Horrey, W.J., Nunes, A., and Hardy, T.J. (2004). *Traffic and Flight Guidance Depiction on a Synthetic Vision System Display: The Effects of Clutter on Performance and Visual Attention Allocation*. Institute of Aviation, Aviation Human Factors Division, Savoy, IL, USA.
- Wickens, C.D., Dixon, S., and Chang, D. (2003). *Using Interference Models to Predict Performance in a Multiple-Task UAV Environment – 2UAVs*. Institute of Aviation, Aviation Human Factors Division, Savoy, IL, USA.
- Wickens, C.D., Goh, J., Helleberg, J., Horrey, W.J., and Talleur, D.A. (2003). *Attentional Models of Multitask Pilot Performance Using Advanced Display Technology*. Human Factors, Vol. 45, No. 3, 360-380.

Wickens, C.D. and Hollands, J.G. (2000). *Engineering Psychology and Human Performance* (3rd edition). Prentice-Hall Inc., Upper Saddle River, NJ, USA.

Wickens, C.D., Vincow, M.A., Schopper, A.W., and Lincoln, J.E. (1997). *Computational Models of Human Performance in the Design and Layout of Controls and Displays*. Crew System Ergonomics Information Analysis Center (CSERIAC).

Yeh, M. (2004). *Human Factors Considerations in the Design and Evaluation of Moving Map Displays of Ownship on the Airport Surface*. U.S. Department of Transportation, Research and Special Programs Administration, John. A. Volpe National Transportation Systems Center, Cambridge, MA, USA.

Yeh, M. and Chandra, D. (2004). *Issues in Symbol Design for Electronic Displays of Navigation Information*. Proceedings of the 23rd DASC Conference, Salt Lake City, UT, USA.

Yeh, M., Merlo, J.L., Wickens, C.D., and Brandenburg, D.L. (2003). Head Up Versus Head Down: The Costs of Imprecision, Unreliability, and Visual Clutter on Cue Effectiveness for Display Signaling. *Human Factors*, Vol. 45, No.3, 390-407.

List of Symbols / Abbreviations / Acronyms / Initialisms

ACE	Association of Canadian Ergonomists
ACM	Association of Computing Machinery
AECL	Atomic Energy of Canada Limited
C2	Command and Control
C3	Command, Control and Communication
C4	Command, Control, Communications and Computer
C4I	Command, Control, Communications, Computer and Intelligence
CISTI	Canada Institute for Scientific and Technical Information
CSERIAC	Crew System Ergonomics Information Analysis Center
CTA	Cognitive Task Analysis
DDSM	Directory of Design Support Methods
DND	Department of National Defence
DoD	U.S. Department of Defense
DRDC	Defence Research and Development Canada
DSTO	Defence Science and Technology Organization
DTIC	Defense Technical Information Center
EEVL	Edinburgh Engineering Virtual Library
EPRI	Electronic Power Research Institute
FOV	Field of View
HCI	Human-Computer Interaction
HFES	Human Factors and Ergonomics Society
HSIAC	Human Systems Information Analysis Center

IAC	Information Analysis Centers
LEA	Lawrence Erlbaum Associates
MRT	Multiple Resource Theory
MSIS	Man-Systems Integration Standards
NASA	National Aeronautics and Space Administration
NRC	U.S. Nuclear Regulatory Commission
NRCC	National Research Council Canada
OPSAD	Operator Performance and Safety Division
PWGSC	Public Works and Government Services Canada
RSPA	Research and Special Programs Administration
SPAWAR	Space and Naval Warfare Systems Command
WM	Working Memory

Distribution list

Document No.: DRDC Atlantic CR 2005-209

LIST PART 1: Internal Distribution by Centre:

DRDC Atlantic Library (5)
DRDC Atlantic Scientific Authority (3)

TOTAL LIST PART 1 – 8

LIST PART 2: External Distribution by DRDKIM

LCdr RJM Hardy (1)
DMSS 8-2-9
National Defence Headquarters
MGen George R. Pearkes Building
Ottawa, Canada
K1A 0K2

Sharon Abel DRDC Toronto (1)
Robbie Arrabito DRDC Toronto (1)
DRDC Toronto
PO Box 2000
M3M 3B9
Toronto, Ontario
Canada

DRDKIM (2)

TOTAL LIST PART 2 – 3

TOTAL COPIES REQUIRED - 11

This page intentionally left blank.

UNCLASSIFIED

DOCUMENT CONTROL DATA <small>(Security classification of the title, body of abstract and indexing annotation must be entered when the overall document is classified)</small>		
1. ORIGINATOR (The name and address of the organization preparing the document, Organizations for whom the document was prepared, e.g. Centre sponsoring a contractor's document, or tasking agency, are entered in section 8.) Publishing: DRDC Atlantic Performing: Valcom Consulting Group Inc., 1969 Upper Water Street, Purdy's Wharf, Tower 2, Suite 2200, Halifax , NS, B3J 3R7 Monitoring: Contracting: Valcom Consulting Group Inc., 1969 Upper Water Street, Purdy's Wharf, Tower 2, Suite 2200, Halifax , NS, B3J 3R7		2. SECURITY CLASSIFICATION <small>(Overall security classification of the document including special warning terms if applicable.)</small> UNCLASSIFIED
3. TITLE (The complete document title as indicated on the title page. Its classification is indicated by the appropriate abbreviation (S, C, R, or U) in parenthesis at the end of the title) Literature survey on operator performance using multiple displays (U) Étude documentaire sur le rendement des opérateurs travaillant avec des affichages multiples		
4. AUTHORS (First name, middle initial and last name. If military, show rank, e.g. Maj. John E. Doe.) Vincenzo Delle Donne		
5. DATE OF PUBLICATION <small>(Month and year of publication of document.)</small> March 2006	6a. NO. OF PAGES <small>(Total containing information, including Annexes, Appendices, etc.)</small> 52	6b. NO. OF REFS <small>(Total cited in document.)</small> 151
7. DESCRIPTIVE NOTES (The category of the document, e.g. technical document, technical note or memorandum. If appropriate, enter the type of document, e.g. interim, progress, summary, annual or final. Give the inclusive dates when a specific reporting period is covered.) Contract Report		
8. SPONSORING ACTIVITY (The names of the department project office or laboratory sponsoring the research and development – include address.) Sponsoring: DRDC Atlantic Tasking: DRDC Atlantic		
9a. PROJECT OR GRANT NO. (If appropriate, the applicable research and development project or grant under which the document was written. Please specify whether project or grant.) 16kh03	9b. CONTRACT NO. (If appropriate, the applicable number under which the document was written.)	
10a. ORIGINATOR'S DOCUMENT NUMBER (The official document number by which the document is identified by the originating activity. This number must be unique to this document) DRDC Atlantic CR 2005–209	10b. OTHER DOCUMENT NO(s). (Any other numbers under which may be assigned this document either by the originator or by the sponsor.)	
11. DOCUMENT AVAILABILITY (Any limitations on the dissemination of the document, other than those imposed by security classification.) Unlimited distribution		
12. DOCUMENT ANNOUNCEMENT (Any limitation to the bibliographic announcement of this document. This will normally correspond to the Document Availability (11). However, when further distribution (beyond the audience specified in (11) is possible, a wider announcement audience may be selected.) Unlimited announcement		

UNCLASSIFIED

UNCLASSIFIED

DOCUMENT CONTROL DATA

(Security classification of the title, body of abstract and indexing annotation must be entered when the overall document is classified)

13. ABSTRACT (A brief and factual summary of the document. It may also appear elsewhere in the body of the document itself. It is highly desirable that the abstract of classified documents be unclassified. Each paragraph of the abstract shall begin with an indication of the security classification of the information in the paragraph (unless the document itself is unclassified) represented as (S), (C), (R), or (U). It is not necessary to include here abstracts in both official languages unless the text is bilingual.)

(U) A survey has been completed to investigate literature in the area of operator performance using multiple displays, in order to support a variety of projects in the Maritime Command, Control, Communications, Computer and Intelligence (C4I) environment at Defence Research and Development Canada (DRDC) Atlantic. Using a defined set of keywords and literature sources, various documents, reports, papers and articles were found, of which 100 were assessed according to a set of criteria that identified those that were more useful for adaptation to the present project's goals and objectives. Of the literature identified in the survey, 7 were reviewed in detail and summarized.

(U) Une étude des documents portant sur le rendement des opérateurs qui travaillent avec des affichages multiples a été menée dans le but d'appuyer une variété de projets de commandement, de contrôle, de communications, d'informatique et de renseignement (C3IR) dans le milieu maritime à Recherche et développement pour la défense Canada – Atlantique (RDDC). À l'aide d'un ensemble défini de mots clés et de sources documentaires, nous avons trouvé divers documents, rapports, journaux et articles. Nous avons évalué 100 de ces documents en fonction d'un ensemble de critères qui ont permis de cerner ceux qui s'adapteraient le mieux aux objectifs et aux buts du projet en cours. À partir des documents retenus, nous en avons examiné 7 en détail et les avons résumés.

14. KEYWORDS, DESCRIPTORS or IDENTIFIERS (Technically meaningful terms or short phrases that characterize a document and could be helpful in cataloguing the document. They should be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location may also be included. If possible keywords should be selected from a published thesaurus, e.g. Thesaurus of Engineering and Scientific Terms (TEST) and that thesaurus identified. If it is not possible to select indexing terms which are Unclassified, the classification of each should be indicated as with the title.)

(U) multiple monitors, human performance, attention, maritime, command and control

UNCLASSIFIED

This page intentionally left blank.

Defence R&D Canada

Canada's leader in defence
and National Security
Science and Technology

R & D pour la défense Canada

Chef de file au Canada en matière
de science et de technologie pour
la défense et la sécurité nationale



www.drdc-rddc.gc.ca